



Color Copy is your perfect paper for digital color printing, offering unbeatable quality from A4 to banner formats. Color Copy ensures razor-sharp printing and vibrant colours for striking results, with an unparalleled consistency of quality. Color Copy is CO₂-neutral and part of Mondi's Green Range, being FSC® and EU Ecolabel certified. A paper you can trust, 100% satisfaction guaranteed.



Technical Data: COLOR COPY

| | | | 80 | 90 | 100 | 120 | 160 | 200 |
|------------------------|------------------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|
| Basis weight | g/m ² | ISO 536 | 80 ± 3.0 | 90 ± 3.0 | 100 ± 4.0 | 120 ± 4.5 | 160 ± 6.0 | 200 ± 6.0 |
| Caliper | µm | ISO 534 | 90 ± 3 | 98 ± 4 | 106 ± 4 | 126 ± 4 | 166 ± 6 | 200 ± 7 |
| Smoothness Bekk | sec | ISO 5627 | 105 ± 25 | 105 ± 25 | 105 ± 25 | 105 ± 25 | 105 ± 25 | 105 ± 25 |
| Opacity | % | ISO 2471 | 93.0 ± 2 | 94.0 ± 2 | 95.0 ± 2 | 96.5 ± 2 | 98.5 ± 2 | 99.0 ± 1 |
| Moisture abs. | % | ISO 287 | 5.0 ± .6 | 5.0 ± .6 | 5.0 ± .6 | 5.0 ± .6 | 5.0 ± .6 | 5.2 ± .6 |
| Brightness UV | % | ISO 2470 | 110.0 ± 1.5 | 110.0 ± 1.5 | 110.0 ± 1.5 | 110.0 ± 1.5 | 110.0 ± 1.5 | 110.0 ± 1.5 |
| CIE Whiteness | % | ISO 11475 | 161 ± 3.0 | 161 ± 3.0 | 161 ± 3.0 | 161 ± 3.0 | 161 ± 3.0 | 161 ± 3.0 |

Product meets EN 12281, requirements for copy paper for dry toner imaging processes and ISO 20494, requirements for permanence for paper. Production processes certified according to ISO 9001, ISO 14001 and ISO 45001. Standard measurement uncertainty between laboratories is not incorporated.

SIGNIFICANCE OF VALUES: 2 SIGMA

This specification is valid for one year after issue or good till cancelled.

| 220 | 250 | 280 |
|--------------------|--------------------|--------------------|
| 220 ± 6.0 | 250 ± 7.0 | 280 ± 8.0 |
| 220 ± 7 | 245 ± 8 | 280 ± 8 |
| 105 ± 25 | 105 ± 25 | 105 ± 25 |
| 99.0 ± 1 | 99.0 ± 1 | 99.0 ± 1 |
| 5.5 ± .6 | 5.5 ± .6 | 5.5 ± .6 |
| 110.0 ± 1.5 | 110.0 ± 1.5 | 110.0 ± 1.5 |
| 161 ± 3.0 | 161 ± 3.0 | 161 ± 3.0 |